

LIST OF TABLES

Table No.	Contents	Page No.
Table 1.1	Extent of waterlogged area in the country as estimated by various agencies	2
Table 1.2	Extent of waterlogging and soil salinity in selected irrigation projects in India	3
Table 1.3 a	The effect of seven days waterlogging on crop yields in Hungary	5
Table 1.3 b	Percentage of direct yield reduction resulting from watertable at various depths	5
Table 1.4	Allowable depth to ground water table from surface	6
Table 1.5	Recommended depth of groundwater table	6
Table 1.6	Salt tolerance of crops during their rapid growth period in terms of electrical conductivities of saturated soil extracts	9
Table 1.7	Crops having different salt tolerance limits	12
Table 2.1	Recommended period of disposal for different crops based on tolerance limit of crops to ponding	18
Table 3.1	Empirical factors for converting rainfall magnitude calculated from the annual maximum series to the partial duration series for the same recurrence interval	40
Table 3.2	Values of the rational runoff coefficient C	46
Table 3.3	Effect of depth to impermeable layer on drain spacing	55
Table 3.4	Suggested irrigated season water table depths for drain spacing design using steady state formula	56

Table 3.5	Suggested irrigated season water table depths for drain spacing design using transient formula	56
Table 3.6	Example of adoption of drainage coefficient to natural drainage condition of field	58
Table 3.7	Approximate deep percolation from surface irrigation	59
Table 3.8	Drainable porosity values as related to soil texture & structure	60
Table 3.9	Relative tolerance of plants under O ₂ deficit, high ground water levels based on lab.exp. and field tests	62
Table 4.1	Table showing permeameter readings and calculation of K _f s	93
Table 5.1	Runoff curve numbers for hydrologic soil cover complexes	118
Table 5.2	Curve numbers (CN) and constants for the case $\lambda = 0.25$	119
Table 5.3	Manning's roughness coefficient for various boundaries	131
Table 5.4	Values of the equivalent depth d of Hooghoudt evaluated for $r = 0.1\text{m}$, and for different values of D and L in m.	136
Table 5.5	Monthly delta (mm) assumed for study area	139
Table 5.6	Rainfall and potential evaporation data for Bikaner and Jaisalmer area	139
Table 5.7	Evaporation loss from water table	141
Table 5.8	Monthly ground water balance for the 1 & 2 year in the canal command area	145
Table 5.8	Monthly ground water balance for the 1 & 2 year in the canal command area	145

Table 5.9	Monthly ground water balance for the 3 & 4 year in the canal command area	146
Table 5.10	Monthly ground water balance for the 5 & 6 year in the canal command area	147
Table 5.11	Monthly ground water balance for the 7 & 8 year in the canal command area	148
Table 5.12	Monthly ground water balance for the 9 & 10 year in the canal command area	149
Table 5.13	Monthly ground water balance for the 13 & 14 year in the canal command area	150
Table 5.14	Drain spacing and cost at various depths	151
Table 5.15	Diameter of interceptor drain	154
Table 5.16	Values of the equivalent depth 'd' of Hooghoudt evaluated for different value of D and L	169
Table 7.1	Extent of drainage problem in selected irrigation project in Maharashtra State	183
Table 7.2	Cost of various drainage systems in terms of cost/ha of land reclaimed	186
Table 7.3	Variation of non dimensional salt concentration in different reservoirs and volume of water infiltrated with time	199
Table 7.4	Crop salt tolerance levels for different crop	202

